



NVIDIA GeForce RTX 5090 32GB vs NVIDIA B100 SXM 192GB

Side by side datacenter GPU specifications from the Flopper.io database.

OVERVIEW

	NVIDIA GeForce RTX 5090 32GB	NVIDIA B100 SXM 192GB
FP32 TFLOPS	104.8	60.0
Memory	32 GB	192 GB
Memory Bandwidth	1.8 TB/s	8.0 TB/s
TDP	575 W	700 W

PERFORMANCE BY PRECISION

Precision	NVIDIA GeForce RTX 5090 32GB peak TFLOPS (dense)	NVIDIA B100 SXM 192GB peak TFLOPS (dense)
FP64	1.6	30.0
FP32	104.8	60.0
TF32	104.8	875.0
BF16	209.5	1750.0
FP16	419.1	1750.0
FP8	838.2	3500.0
FP6	—	—
FP4	1676.0	7000.0
INT8	838.2	3500.0

SPECIFICATIONS

	NVIDIA GeForce RTX 5090 32GB	NVIDIA B100 SXM 192GB
Architecture	Blackwell	Blackwell
Process Node	4nm	4nm
Launch Year	2025	2024
Form Factor	PCIe	SXM
Memory Type	GDDR7	—
Interface Width	512-bit	—
Interconnect	—	—

	NVIDIA GeForce RTX 5090 32GB	NVIDIA B100 SXM 192GB
TDP	575 W	700 W
FP32 Efficiency	0.18 TFLOPS/W	0.09 TFLOPS/W